

# PROPOSED AMENDMENTS TO BURNS BEACH STRUCTURE PLAN (Amended tracked)

PART 1

FARII		
PAGE NO Existing, tracked (*)	PROPOSED AMENDMENT DETAILS	OFFICER COMMENTS
i, v,1, 10, 11,12	Rename Special Design Precinct to Northern Residential Precinct.	Refer to comments in main report.
2 (2)	Change definition of "Ground Lot Level" to allow for a + 1 metre level difference between the front of the lot and the verge and a 2 metre difference between the front of the lot and the verge for lots that area accessed via a rear laneway.	Refer to comment in main report
3 (3)	Amend the wording of Clause 5.2	Statements regarding land use permissibility and the relationship of development of lots in this Precinct to the provisions –of the Residential zone under DPS2 have been included to provide clarity for purchasers, and to facilitate the assessment process. The statement has been included at the City's request.
(4)	Insert Point 5 (fencing provision) in Clause 5.2	Refer to comment in main report
4 (4)	Rewording of Point 1 of Clause 6.1, to provide greater clarity of intent, with the provisions to relate to the sites identified by the Burns Beach Structure Plan.	The proposed amendment does not affect the objectives of the structure plan and is supported.
5 (5)	Amend the wording of Clause 6.2	Statements regarding land use permissibility and the relationship of development of lots in this Precinct to the provisions –of the Residential zone under DPS2 have been included to provide clarity for purchasers, and to facilitate the assessment process. The statement has been included at the City's request.

5 (6)	Delete Point 1 of Clause 6.2 that permits 2m front setbacks so that this setback shall be in accordance with the R-Codes (3m)	The current provision proposes a lesser setback than is permitted under the R-Codes, which was sought by the developer. As the developer now wishes to delete the provisions and instead use the R-Codes provisions, the proposal is considered acceptable.
6 (6)	Reword Point 4 (now Point 3) of Clause 6.2, to remove "bedroom" and "fully enclosed swimming pool or patio" from the provision.	The proposed amendment would permit the approval of a bedroom at a standard setback from the side boundary, in accordance with the R-Codes, facilitating side windows opening onto internal courtyards. As the City did not require the current provision, the proposal is considered acceptable.
6 (6)	Reword Point 6 (now Point 5) of Clause 6.2, to reduce the minimum setback of dwellings to the rear boundary (including garages) from 1.5m to 1.0m.	A setback from laneways for garages is desirable for safety (sightlines) reasons. Where 7m laneways are provided instead of a 6m laneways, the additional width provided in the laneway accounts for the 0.5m reductions from the lot boundary.
6 (7)	Reword Point 8 (now Point 7) of Clause 6.2, To prohibit dwellings within these R60 sites from all gaining access to the road reserves which they may abut.	The rewording of this Clause is to cater primarily for the R60 sites. These sites may not necessarily be accessed via a laneway where access is to be controlled through a single crossover point and private driveway.
(7)	Insert Point 14 in Clause 6.2	Refer to comment in main report
<u>(8)</u>	Modify Clause 7.1 Objective to remove the reference to on-site car parking requirements being assessed on merit.	Refer to comments in main report.
<u>(9)</u>	Modify 7.3 General Provisions to prohibit wholly residential or office use to occupy any one lot within the precinct.	Refer to comments in main report.
8 (8)	Modify Clause 7.1 to reflect expansion of local shop site to include land on both (2) corners.	The expanded provision will provide greater opportunity for an additional shop on the opposite corner to the existing defined Local Shop, thus framing the corner and reinforcing this area as a community focal point.
(9)	Modify wording of Clause 7.2	It is proposed to replace the term "permitted" with "permissible" for consistency, and add a statement that limits permissible land uses to those specified. These

		modifications will add clarity for purchasers and assessors of development applications.
9 (9)	Reword Clause 7.3, to include the words 'small' and 'facility' to clarify the intent of this precinct.	The precinct is not intended to be a large-scale commercial area and will only be developed for land uses permitted within the Local Shop Precinct. The proposed amendment clarifies this intent.
<u>(9 or 10)</u>	Including additional car parking provisions in Clause 7.3 General Provisions for commercial permissible uses.	Refer to comments in main report,
9 (9)	Reword Clause 7.3 regarding rear garage setbacks	Refer to comment above in relation to page 6.
9 (9)	Reword Point 3 of Clause 7.3 with regard to car parking provisions	To provide greater clarity with regard to the intent of the provision, and how it relates to these sites being developed for residential dwellings. The provision relates to residential dwellings and <u>not</u> commercial/retail land uses.
9 (9)	Reword Point 7 of Clause 7.3 regarding rear garage setbacks	Refer to comment above in relation to page 6.
(11)	Modify wording of Clause 8.2	It is proposed to replace the term "permitted" with "permissible" for consistency, and add a statement that limits permissible land uses to those specified. These modifications will add clarity for purchasers and assessors of development applications.
11 (11)	Delete "Shop" as a permissible land use from Clause 8.2	A "Shop (includes Fish & Chip shop, take away pizza shop)" is currently included in the BBSP. The definition of a "Shop" under DDPS2 could include any type of retail outlet, such as a pharmacy, newsagents or florist. These are uses that are currently accommodated and intended in the Local Shop Precinct. The developer has confirmed that the intention for this site is that a café/restaurant (including a lunch bar) be developed, which is clarified by deletion of the "Shop" use.

13 (13)	Add a new provision to Clause 9.2 with regard to retaining wall heights	Refer to comment in main report
12 (12)	Add a new provision to Clause 9.2 with regard to building height limits	Refer to comment in main report
12 (12)	Modify Point 2, by replacing 2 storeys with 3 storeys.	Refer to comment in main report
12 (12)	Add a new provision to Clause 9.2 allowing the plot ratio for R60 lots within the Northern Residential Precinct to be 0.85. (Point 1)	Refer to comment in main report
11 (11)	Modify Clause 9.2 to reflect the proposed densities in the Northern Residential Precinct and the relevant provisions.	The proposed amendment provides clarity and is therefore supported.
(11)	Amend the wording of Clause 9.2	Statements regarding land use permissibility and the relationship of development of lots in this Precinct to the provisions of the Residential zone under DPS2 clarity for purchasers, and to facilitate the assessment process. The statement has been included at the City's request.
11 (11)	Insert an additional objective in Clause 9.1- "To provide home sites which overlook parkland areas and streets to maximise passive surveillance opportunities and promote attractive streetscape"	The additional objective clarifies the intent of the road layout and design for the northern precinct and is therefore considered acceptable.
11 (11)	Insert the following objective in Clause 9.1 - "To provide a variety of lot sizes and dwelling types with selected sites identified at a maximum density of R60 as indicated on the Structure Plan."	The additional objective reflects the densities proposed within the Northern Residential Precinct and is therefore considered acceptable.
11 (11)	Delete Point 2 of Clause 9.1 - "To provide a Special Design Precinct within which endeavours will be made to accommodate level differences within individual dwelling design."	This objective was proposed by the developer, however, opportunities to do this were investigated in more detail by the project team, and it was determined that lot sizes would need to be excessively large (+1,000sqm) than the lot sizes intended to achieve this. Since the State government is encouraging smaller lot development, removing the objective would be acceptable.

# PART 2

PAGE NO	PROPOSED AMENDMENT DETAILS	OFFICER COMMENTS
21 (22)	Modify Section 9.1, to refer to new Public Open Space (POS) figures resulting from the redesign of the Northern Residential Precinct.	The areas stipulated reflect approved and proposed amended POS areas accurately to provide clarity and the proposal is acceptable.
25 (26)	Modify Section 10.2 and 10.3, to refer to R60 as the maximum density at nominated sites	The maximum density was previously R40. The required inclusion of and R60 are by the Western Australian Planning Commission, and the proposed inclusion of an area of R60 in the Northern Residential Precinct, necessitates the amendment.
26 (27)	Delete paragraph describing Special Design Precinct and insert new Section 10.4 describing the Northern Residential Precinct.	The proposed amendment is required to describe the new design philosophy utilised for the Northern Residential Precinct, which has been based on more accurate topographical, engineering and environmental assessment and provides clarity.
32 (34)	Modify Section 10.5 (10.6), to refer to new Public Open Space numbering and calculations.	The proposed amendment is a result of the redesign of the Northern Residential Precinct and approved subdivisions to date and is therefore acceptable.
34 (39)	Insert new POS Schedule.	The inclusion refers to new Public Open Space numbering and calculations resulting from the redesign of the Northern Residential Precinct. With regard to the deductions listed within the table, the drainage sump has been treated separately to the balance of the drainage area. This area was not available at the time of the original Structure Plan being approved and was therefore included in the overall drainage calculation. The amended areas are acceptable.
37 (43)	Add POS 2 to last sentence.	The design of the Northern Residential Precinct has been undertaken in a manner to retain several existing mature trees near the peak of the natural landform. These trees are to be retained within POS 2, as noted by the d addition.
41 (46)	Modify POS references.	The amendment is supported as it refers to new Public Open Space numbering resulting from the redesign of the Northern Residential Precinct, and minor amendments to the central

		open space areas within the Burns Beach Estate.
42/43 (48/49)	Insert new text for POS 1A, 1B, 1C, 2 and 3.	The inclusion reflects the redesign of the Northern Residential Precinct and POS 3 and is supported.
45 (50)	Modify heading from POS 8 and 9 to "POS 8A, 8B and 9".	This textual change reflects the new open space design that has been approved through the subdivision process and is currently being constructed.
56 (62)	Add text to Section 12.1 to describe retaining walls in the Northern Residential Precinct and the tree retention in POS 2.	Refer to comment in main report
59 (66)	Modify text relating to POS.	This text has been amended to reflect the new Public Open Space numbering and calculations resulting from the redesign of the Northern Residential Precinct.

# PART 2.0 - EXPLANATORY REPORT (EXTRACTS ONLY)

# **<u>10.2</u>10.1** Proposed Land Use

The Burns Beach Structure Plan (refer Plan 1) proposes the following mix of land uses over the subject land:

- Parks and Recreation reserves, including a foreshore reserve;
- Residential development ranging from R20 to R40 R60 densities;
- Local shop, café, kiosk and restaurant;
- Primary school; and
- Public open space.

In addition, an existing Telstra switch site is located in the north eastern corner of the site. This site, totalling an area of  $428m^2$  will be created as part of the subdivision of the adjacent land.

The following sections provide a discussion regarding of each of the proposed land uses.

# <u>10.310.2</u>Residential Development

It is forecast that the site will yield approximately 1,600 single residential lots ranging in density from R20 to R40R60.

The majority of the subject land is proposed for residential development at a density of R20. Within the R20 Code however, a variety of lot sizes will be produced. In the western portion of the site nearest to the coast, the majority of the lots will be large family sized lots in the order of  $600m^2$ . Smaller lots between  $500m^2 - 600m^2$  will be developed in the eastern portion of the site.

Higher density residential precincts will be provided by the Structure Plan in order to facilitate and promote housing, socio-economic and demographic diversity and to contribute to sustainability and the minimisation of urban sprawl. It is proposed that higher density allotments, up to R40R60, will be provided in areas of high amenity near or adjacent to open space and the central corner store in response to market influences and demand. The small lots will be in the order of  $400m^2$ .



Photos: examples of medium density housing product

### 10.410.3 Northern Residential Precinct

The Northern Residential Precinct is located in the north western area of the site where the land is characterised by extremely steep topography. The key objective in this precinct is to provide quality residential outcomes whilst retaining the general landform of the site. Within this objective, the opportunities and constraints presented by the Precinct were examined and a design response was then formulated.

# <u>Philosophy</u>

The topography of the Northern Residential Precinct with regard to slopes and grades is similar to that of the Minim Cove area in Mosman Park. Development of land which is to retain the general slope and height of the 'original' land form, will utilise retaining walls to help stabilise the natural landform, whilst providing for residential allotments that are capable of being developed upon in a standard manner.

A similar philosophy to that of Minum Cove has been utilised for the Northern DesignResidential Precinct. Retaining walls are to be used in the development, to retain the natural height and general landform.

Whilst retaining walls are to be used, these walls are to be primarily situated along the common rear boundary of allotments. The retaining walls will be primarily obscured from the public realm, being screened by residential dwellings that will be located in front of the wall, minimising the impact that these walls will have on the surrounding street network, streetscape and public realm.

Photos from Minum Cove have been provided below to give an indication of the form of development envisaged.



Photos: Minum Cove

### **Open Space Spine**

The Northern Residential Precinct has been designed around a central linear open space spine, traversing the precinct in a NW – SE direction. The alignment of the open space spine has been centred on a visual corridor to the northern beach area and foreshore reserve. The alignment of the spine also offers the gentlest grade within the open space area for pedestrian access, with the height difference between the foreshore reserve and the highest area within the precinct being distributed over the spine length of approximately 420 metres.

The open space spine which is to be a central focus of the Northern Residential Precinct links two relatively large areas of open space. These larger areas are primarily utilised for retention of remnant vegetation and also for drainage purposes. The central spine linking these, whilst proving a permeable open space network, have been incorporated within the urban fabric to be primarily utilised for passive recreation pursuits, with active pursuits to take place in the larger areas.

Solar Efficiency and Orientation

The road network and orientation of residential lots within the Northern Residential Precinct have been aligned to optimise the benefits gained by both solar orientation and natural wind directions.

The stepping of residential allotments through a terraced arrangement, will assist in ensuring the majority of dwellings receive direct sunlight from the northerly aspect, with the walls being terraced up the slope. The direction of the slope diminishes the impact of shadowing that would generally be associated with high retaining walls.

In addition to ensuring good solar orientation of lots as described in the below section, a critical design issue within the Northern Residential Precinct was the direction of prevailing winds. The design has ensured that the majority of residential lots have been orientated to maximise protection from the strong winds that occur at this coastal location.

The orientation of the internal road network on a north-northwest orientation assists with both enhancing sightlines of dwellings and commuters to the foreshore reserve, whilst also ensuring elements of the south west winds will flow throughout the built environment.

The open space spine, whilst providing a visual corridor within the precinct to the foreshore reserve, has also been orientated to provide some protection to any landscaping from the south west winds. This may assist with the establishment of new vegetation in the short-term and promote greater use of these areas with pedestrians being protected from the elements.

### **Retention of Natural Landform**

The highest point in the Precinct is located generally at the eastern side of the Precinct. The land falls away from this high point in all directions. The lowest point in the Precinct is located in the north western corner, which is to be utilised to accommodate the drainage strategy for the Burns Beach Estate, and match in with the existing levels of the Foreshore Reserve.

In order to achieve the objective of maintaining the general overall landform and create quality homesites, development will be terraced from all boundaries of the Precinct to the natural high point in the centre of the Precinct. Retaining walls are required to terrace the residential lots, and maintain the general landform of the northern area.

Opportunities to accommodate the general landform within the residential lots and through alternative home construction techniques (rather than through the use of retaining walls at the lot boundaries) were investigated and researched by the project team. However, to be able to do this efficiently and effectively the lot sizes are required to be much larger than the average lot size desired by the current State and Local Governments. Current Government objectives require the achievement of higher density targets, sustainability criteria and a compact city. The State Government's Network City document requires the fuller use of urban land, limiting urban sprawl and encouragement to use public transport. Greater residential densities are required to ensure that these Government initiatives are met. The provision of very large lots within the Northern Residential Precinct to accommodate level rises without the use of retaining walls directly conflicts with the Government's sustainability objectives and Network City. The use of retaining walls as proposed allows for the general landform to be retained whilst also providing quality homesites and lots sizes consistent with current State and Local Government policy.

The cross sections attached within Appendix 7 illustrate the location of retaining walls, roads and residential street blocks proposed in the Northern Residential Precinct. Retaining walls at the rear boundary of properties are to be constructed at a height of approximately 4 metres.

With the design of the Northern Residential Precinct rising to a central high point within the site, in addition to the rear retaining walls it is acknowledged that terracing of side boundaries will also be required to facilitate the rise of the topography. The height of the side retaining walls is envisaged to be less than that at the rear boundaries, with the exception of where these walls/lots adjoin open space areas and road reserves.

## <u>Density</u>

The bulk of the development in the Northern Residential Precinct will conform with the R20 Code. A number of smaller pockets of R60 and R40 development are proposed surrounding the large park at the high point of the Precinct, and also adjacent to the coastal road. These have been shown on the Structure Plan (Plan 1) and in the below extract from the Structure Plan. The increased amenity value of the open space areas and coastal proximity provides the opportunity for increased density in these areas.



The urban design within the Northern Residential Precinct will result in many lots having ocean and inland views and views will also be ensured from the linear public open space system. The creation of these views will play an important role in the establishment of a strong sense of place at the Northern Residential Precinct. The open space spine has further been utilised to facilitate the retention of several stands of remnant trees.

A Special Design Precinct is proposed over the north western area of the site as this land is characterised by extremely steep topography. The bulk of the development in this area will conform with the R20 Code to allow development to have regard for the natural landform. Some smaller pockets of R30 to R40 development may be proposed once more detailed design has been completed. A more intensive urban design and engineering response to this area will be undertaken in an endeavour to, where possible and practical, maintain the general landform of the area. This further design work will be undertaken in consultation with the City of Joondalup.

### Solar Orientation

Liveable Neighbourhoods outlines that good solar orientation is achieved by maximising the number of allotments with the primary axis (length) orientated within the range N20°W to N30°E, or E20°N to E20°S.

The Burns Beach Structure Plan maximises the creation of lots with the correct solar orientation. The vast majority of lots will have the primary axis orientated between the angles outlined by Liveable Neighbourhoods. Accordingly, dwellings constructed at Burns Beach will be able to comply with the Design for Climate Requirements of the Residential Design Codes 2002.

Subdivision designs will aim to provide lot dimensions (width and length) that respond appropriately to the lot orientation and that facilitate the siting of residential dwellings in a manner that maximises the energy efficiency of dwellings.

### <u>10.510.4</u> Design Guidelines

Part 1 of this report has set out the statutory provisions for development within the land use precincts at Burns Beach. The intent of the statutory provisions in Part 1 of this report is to ensure that built form, particularly on the smaller lots, has a high level of visual amenity and is consistent with the objectives of the Structure Plan. The provisions relate to setbacks, garages, building height and corner lot treatments amongst other issues.

Indicative elevations and images to illustrate what the development on the higher density residential lots may look like have been provided above. These do not form part of Part 1 of this report and are indicative only.

Particular attention has been given to the design of dwellings and fencing on corner lots throughout the Estate. It is considered integral that dwellings constructed on corner lots are designed to address both street frontages in order to increase passive surveillance opportunities, increase aesthetic appeal and positively contribute to the neighbourhood streetscape. In addition, side fencing must be controlled to ensure that the secondary street frontage is active. Fencing will be controlled through design guidelines administered by Peet & Company and is not addressed by Part 1 of the Structure Plan. The below photos demonstrate good and bad examples of corner lot dwellings.



*Photo 1: Unacceptable corner treatment* 



*Photo 2: Good example of addressing both streets* 



*Photo 3: Good example of address both streets and use of open style fencing* 

In addition to the statutory provisions contained in Part 1 of this report, design guidelines and protective covenants will be prepared for all lots within the Estate to address visual amenity and built form quality including building form, roof form, fencing and architectural character. In addition, sustainability issues such as waterwise and GreenSmart principles will be encouraged by Peet & Company.

### 10.5 Open Space

### Public Open Space

The Public Open Space proposed at Burns Beach has been located and designed based on the following criteria:

- the POS has been located such as to provide legibility in the neighbourhood, community focus points and facilitate a sense of place and identity to each neighbourhood in accordance with accepted planning and urban design principles;
- the POS has been equitably spaced so as each resident will be able to walk to an area of open space from their home;
- a variety and range POS areas have been proposed, in contrast to one large active open space, in order to accommodate the needs of a wide range of people and user age groups and contribute to their quality of life;
- Liveable Neighbourhood states that a balance between neighbourhood parks and larger playing fields is favoured;
- the POS has been distributed throughout the Structure Plan area to facilitate its use for stormwater drainage as well as service the recreational needs of the future population;
- the vast majority of the POS areas proposed are of significant size, almost all being greater then 5000m2, and will be able to be used by the future residents for active recreational pursuits whilst also not burdening the local government with inefficient maintenance programs and costs;
- an extremely large space of 3.9 hectares is proposed to contain a senior oval (shared with the primary school) to cater for the formal active recreational needs of the future community;
- there are two additional active playing field facilities in close proximity to the Burns Beach area (Iluka and Kinross); and
- the POS proposed within the Burns Beach Structure Plan is in accordance with all of the requirements of Element 4 Public Parkland of Liveable Neighbourhoods.

Public open spaces areas have been evenly distributed throughout the Structure Plan area to ensure maximum accessibility for future residents and provide a neighbourhood focus. The open space provision will offer a range of active and passive recreational opportunities for residents of the estate.

In total <u>1945</u> areas of public open space are proposed, ranging in size from 0.5ha0.15ha to 3.93ha with the largest site co-located with the primary school proposed as a senior oval to accommodate formal active recreation requirements. The open space areas that will provide the most community focus for Burns Beach will be the central open space (POS 8a, 8b and 9) and the coastal node (POS 6).

The Structure Plan has been designed to ensure that all future residents are within easy walking distance to a park and that each neighbourhood has its own park that functions as a community focus area. In addition, the POS areas have been designed to ensure that there is an equitable mix between active and passive recreation spaces.

As specifically requested by the City of Joondalup, POS 11 in the north eastern corner of the site directly abutting the Parks and Recreation Reserve has been reduced from that shown in the original concept plan in order to allow POS 15 in the south eastern corner of the site to be increased in size to protect the Christmas trees and native vegetation.

The street layout ensures easy pedestrian and cycle access to open space areas throughout the development and passive surveillance through the location of housing fronting open space.

There will be stormwater drainage accommodated in some of the POS areas (as shown in Table 1), typically in the form of landscaped dry swales and basins.

Car parking will also be provided at most of the POS areas to accommodate visitors to the parks. This has been indicatively shown on the Structure Plan.

All of the POS areas will be developed to a high standard. In order to facilitate the long term maintenance of the quality parkland areas, it is proposed to seek initiation of differential rating within the Burns Beach Estate to fund any additional resources and maintenance costs beyond that which may be considered the average. This matter will be discussed with the City of Joondalup further as a separate issue to the Structure Plan.

Table 1 on the following page shows the public open space calculations for the Structure Plan.

# Table 1: Burns Beach Structure Plan Public Open Space Schedule

51	
N	
5	
	-
R.	
-	
24	
Л	
÷.	
18	
E.	

TOTAL AR	EA (HECTARES)		<u>147.5316</u>	
DEDUCTIO	<u>DNS</u>			
• Telst	<u>ra Site</u>		<u>0.0428</u>	
• Corn	<u>er Store/Café (approximate area only)</u>		<u>0.0800</u>	
• Prima	Primary School			
• Drair		<u>0.1296</u>		
• Drair	nage (50% of 2.6310 = 1:10 year storm events)		<u>1.2305</u>	
<u>TOTAL</u>	<u>4.9829</u>			
NETT SUB	<u>142.5487</u>			
<u>10% Publi</u>	<u>c Open Space Requirement</u>		<u>14.2549</u>	
	PUBLIC OPEN SPACE			
<u>POS 1A</u>	PAW (no credit)	<u>0.0635</u>	_	
_	Total POS Area	<u>0.4311</u>		
	<u>Drainage Swale = 0.3630 (Assumed 50% POS</u>	<u>0.1815</u>		
	<u>credit)</u>		<u>0.2496</u>	
<u>POS 1B</u>	Total POS Area	<u>0.1530</u>	<u>0.1530</u>	
<u>POS 1C</u>	Total POS Area	<u>0.5447</u>	<u>0.5447</u>	
<u>POS 2</u>	PAW (no credit)	<u>0.0675</u>	_	
_	Total POS Area	<u>0.7580</u>	<u>0.7580</u>	
<u>POS 3</u>	<u>Total POS Area</u>	<u>0.4718</u>		
	<u>Drainage Swale = 0.2770 (Assumed 50% POS</u>	<u>0.1385</u>		
	<u>credit)</u>		<u>0.3333</u>	
<u>POS 4</u>	<u>Total POS Area</u>	<u>0.0695</u>	<u>0.0695</u>	
<u>POS 5</u>	<u>Total POS Area</u>	<u>0.7244</u>	_	
-	<u>Pos (Median) (no credit)</u>	<u>0.1218</u>		
	POS (R.O.W)	<u>0.0601</u>	<u>0.7244</u>	
<u>POS 6</u>	<u>Total POS Area</u>	<u>0.6447</u>		
	<u>Drainage Swale = 0.1930 (Assumed 50% POS</u>	<u>0.0965</u>		
	<u>credit)</u>		<u>0.5482</u>	
<u>POS 7</u>	<u>Total POS Area</u>	<u>1.1860</u>		
	<u>Drainage Swale = 0.4240 (Assumed 50% POS</u>	<u>0.2120</u>		
	<u>credit)</u>		<u>0.9740</u>	
<u>POS 8A</u>	<u>Total POS Area</u>	<u>0.7045</u>		
	<u>Drainage Swale = 0.4810 (Assumed 50% POS</u>	<u>0.2405</u>		
	<u>credit)</u>		<u>0.4640</u>	
<u>POS 8B</u>	<u>Total POS Area</u>	<u>0.4569</u>	<u>0.4569</u>	

<u>POS 9</u>	Total POS Area	<u>0.6565</u>	<u>0.6565</u>
<u>POS 10</u>	Total POS Area	<u>0.5127</u>	
	<u>Drainage Swale = 0.3500 (Assumed 50% POS</u>	<u>0.1750</u>	
	<u>credit)</u>		<u>0.3377</u>
<u>POS 11</u>	Total POS Area	<u>0.5330</u>	
	<u>Drainage Swale = 0.0920 (Assumed 50% POS</u>	<u>0.0460</u>	
	<u>credit)</u>		<u>0.4870</u>
<u>POS 12</u>	Total POS Area	<u>1.2717</u>	<u>1.2717</u>
<u>POS 13A</u>	Total POS Area	<u>0.8617</u>	
	<u>Drainage Swale = 0.2810 (Assumed 50% POS</u>	<u>0.1405</u>	
	<u>credit)</u>		<u>0.7212</u>
<u>POS 13B</u>	Total POS Area	<u>0.3367</u>	<u>0.3367</u>
<u>POS 14</u>	Total POS Area	<u>3.9339</u>	<u>3.9339</u>
POS 15	Total POS Area	<u>1.6627</u>	
	<u>Drainage Swale = 0.1296</u>	<u>0.1296</u>	<u>1.5331</u>
<u>TOTAL</u>			<u>14.5534</u>
<b>SURPLUS</b>			<u>0.2985</u>
Note: Surplus	of Open Space may be amended through the preparation of Subdivi	sion Applicat	ions. 10% POS

<u>Note:</u> Surplus of Open Space may be amended through the preparation of Subdivision Applications. 10% POS shall be provided within the entire Structure Plan area.

Planting Themes and Locations

# Background

Coastal plantings must contend with strong salt and sand-laden winds, high solar radiation levels and poor, sandy soils. The retention of the natural vegetation within the Foreshore Reserve of the Burns Beach development will assist in providing a protective barrier of salt tolerant front-line plants that will allow developing landscapes within the Public Open Space areas and streetscapes behind to survive and flourish.

# Approach

Planting will typically consist of a mix of drought and salt tolerant Australian Native and Exotic species. Australian natives typically will be planted in informal arrangements to create a natural setting within Public Open Space areas. Where more structure is required, such as in streetscapes, inclusive of medians and verges, natives will be planted in single species mass planting arrangements. Areas of exotic plantings will almost predominantly occur within manicured areas of Public Open Space and will always be in single species mass planting arrangements.

Plantings within the Burns Beach development will broadly be categorised into three landscape zones.

*Zone 1* (Primary Dune System), closest to the beach is where only the toughest plants will survive. Typically this zone can be considered as being between Foreshore Reserve extremity and 500 metres from the beachfront. Public Open Space areas broadly categorised as Zone 1 plantings include : POS <u>1a1, 2</u>, <u>1b, 1c, 3</u> and <u>6</u>.

Zone 1 plants must survive wind blasting, direct salt deposits and sometimes sea-water droplets. Suitable plants include but is not limited to those with fleshy or leathery leaves and some grasses and sedges. Calocephalus spp, Conostylis spp, Grevillea spp. and Gazania spp. are tough front-line ground covers, useful for soil binding. Carex spp. and Lomandra spp. are suitable grasses and sedges.

Araucaria spp., Casuarina spp, Melaleuca spp. and Agonis spp. are suitable trees for this zone both as street trees and Public Open Space specimens. Exotic trees suitable for this zone include Metrosideros and Olea.

• *Zone 2* (Secondary Dune System) is directly behind the primary dunes, approximately 500 metres to one kilometre from the beachfront. Gently undulating hollows and the primary dune system provide protection for planting in this region. POS areas broadly categorised as Zone 2 plantings include : POS <u>2.</u> 5, 8, 9 and 10.

Zone 2 plants are typically less tolerant of salt exposure and need a protective barrier, which will be provided by the development of housing and the natural undulating topography of Zone 1. Suitable shrubs typically include Adenathos spp, Brachycome spp, Callistemon spp, and Lechenaultia spp.

**Corymbia maculata, Eucalyptus spp, Melaleuca quinqernervia**, are suitable Australian Native trees for this zone both within streetscapes and POS areas. Exotic trees suitable for this zone include **Erythrina spp, Platanus spp.** and **Liquidamber spp.** 

• **Zone 3** (Tertiary Dune System) is broadly located between the secondary dune system, approximately one kilometre from the beachfront through to Marmion Avenue, approximately 1.5 kilometres from the beachfront. POS areas broadly categorised as Zone 3 plantings include : **POS 11, 12, 13, 14 and 15.** 

Zone 3 plants are the least salt and wind tolerant species. These plantings will occur far enough away from the beachfront where the establishing urban development and associated landscapes prior to zone 3 will redirect or capture salt laden winds over this zone. Suitable plant species typically include all natives species, **Hibiscus spp, Hebe spp, Phormium spp** and **Viburnum spp**.

All native trees, **Fraxinus raywoodii**, **Pyrus usseriensis**, **Sapium sebiferum** and **Tipuana tipu** and exotic trees considered suitable for this zone, both within POS areas and streetscapes.

### Summary

It is possible, through appropriate design and plant selection, to have an attractive, thriving landscape in the harsh coastal environment that is a mix of Australian Native and Exotic species, to create natural and manicured settings to benefit of the local and wider community. The final selection of plant species for the Burns Beach Estate will take place at a later stage with detailed landscaping plans being prepared in close consultation with the City of Joondalup.

### Landscape Visions

A description of the vision for each of the POS areas is provided below.

### <u>POS 1A</u>

This area forms the North eastern extent of the development cell and as such is intended to provide a gateway into the adjacent recreation reserve and the northern beaches. In doing view and pedestrian corridors will be established. The shallow slope through this area will allow the development of passive recreational space, in combination with terraced garden beds. Planting will be hardy coastal species and in keeping with the proximity of the reserves will predominantly be indigenous species. The drainage requirement within this reserve will be addressed through the provision of grassed swales with the aim of maximising public use of the land area.

# <u>POS 1B</u>

This area provides a landscaped corridor enabling continuous pedestrian access to the foreshore from this development precinct. Views along and across the corridor will be maximised to provide passive surveillance. Hardy coastal species will be planted in terraced gardens providing intimate seating and passive recreational areas. Disabled access will be reviewed to determine if a safe route is possible to Australian Standards without prejudicing the viability of the space as an attractive linear parkland.

# **POS 1C**

This area is a continuation of the linear parkland that provides views to the north east and pedestrian access through to the foreshore. At a minimum width of 26m(approx) a variety of passive recreational spaces are proposed including the incorporation of public art, intimate seating areas and view points. The landscape will combine screening to limit the northerly wind and be relatively open in nature to ensure views into the area are maintained for passive surveillance. The linear parkland and the clear pedestrian links increase the legibility of the precinct and serves to connect the terraced road alignment.

## <u>POS 2</u>

This area provides the opportunity to retain and protect an existing stand of eucalyptus. The levels and design of the surrounding area have been manipulated to ensure these trees form the essence of the POS design. The character of the park will be influenced by the existing trees and the extent of the understorey that is retained. The undulating topography of the existing dunal form will be reflected in the landscape to provide shelter to planting areas and users of the passive recreation areas provided. The area provides the South Eastern extent of a linear parkland that connects to the foreshore reserve. Continuity of plant species and landscape materials will assist in defining this link.



Northern Residential Precinct Open Space Concept

# <u>POS 3</u>

The coastal location allows for a public area to be developed as a manicured parkland providing passive recreational facilities adjacent to the foreshore reserve. This POS will serve as an activity node that will allow the public the benefits of a parkland setting adjacent the foreshore reserve whilst protecting the foreshore reserve. The drainage requirement will be addressed as a grassed swale in order to maximise the public use of the area when dry. Uses within the area will extend to bbq and picnic facilities with shelter. Pedestrian links to the foreshore and surrounding residential areas will be provided.

# <u>POS 4</u>

The character of this park is intended to be natural due to adjacent proximity to the Parks and Recreation Reserve. This POS will consist totally of native endemic species.

# <u>POS 5</u>

The character of this park is intended to be manicured due to necessary earthworks in this area and the and the need to provide usable open space in close proximity to higher density housing types.

Preliminary landscape design proposals include the provision of manicured edge treatments, smaller level kickabout areas, seating, shade and pedestrian linkage to surrounding residential areas. Possible landscape hard scape treatments and public structures may be used to provide a more intimate environment and a higher level of public amenity. Some car parking is proposed.

# POS 6 – Coastal Node

This area includes land which is located within the foreshore Parks and Recreation Reserve. The area within the foreshore reserve is degraded. The landscape design will extend the usable open space at this key node. It is considered essential to extend this open space area towards the coast to achieve the objective of providing a strong community focus point and bringing people into contact with the ocean environment in a controlled setting. The Foreshore Management Plan will provide details of how this area is to be developed and managed to ensure that environmental protection is well balanced with human access to the beach.

The character of the park area is intended to be a mix of natural and manicured due to proximity to the foreshore reserve and the need to provide usability and pedestrian linkages. The primary coastal activity node will include features such as a café/restaurant, beach kiosk, a landscaped park with BBQ's, shelters, grassed area, grassed swales to accommodate stormwater drainage, play equipment and also a lookout tower and boardwalk to the beach as well as public conveniences. Such features will be an integral part of the key activity node, providing the catalyst for activity and socialisation in this community focal point. Possible landscape hard scape treatments and public structures may be used to provide a more intimate environment and a higher level of public amenity. The Structure Plan indicatively shows the proposed location of a restaurant, cafe and kiosk within the coastal node. It is envisaged that the coastal node will be similar to the open space and café/kiosk developments at Trigg Beach and Floreat Beach which have both proven to be extremely popular destinations.

Some car parking is proposed adjacent to the coastal node to accommodate people visiting the restaurant, kiosk, accessing the beach and other community facilities such as picnic facilities.

### <u>POS 7</u>

The character of this park is intended to be manicured due to earthworks in the areas and the need to provide usable open space in close proximity to higher density lots.

Preliminary landscape design proposals include the provision of manicured edge treatments, smaller level kickabout areas, seating, shade and pedestrian linkage to surrounding residential areas. Possible landscape hard scape treatments and small public structures may be used to provide a more intimate environment and a higher level of public amenity. Some car parking is proposed adjacent to the POS.

### POS 8A, 8B and 9 – Central Park

The character of this park is intended to be manicured as it is the central open space area functioning as the heart of the Estate. As such the need to provide usability and public facilities is paramount. Any proposed use within this open space areas should respond to the shelter partly provided by the rise in ground level on the western side.

Preliminary landscape design proposals include the provision of manicured edge treatments, larger level kickabout areas, seating, shade and pedestrian linkage to surrounding residential areas. Possible landscape hard scape treatments and small public structures may be used to provide a more intimate environment and a higher level of public amenity. Some car parking is proposed adjacent to the POS.

Adjacent land uses include a local shop and cafe to assist in the provision of public amenity to this central area. It is envisaged that the local shop/café and the central park will read as a fully integrated central focus of the Burns Beach Estate. Roads around this POS will be treated to reduce traffic speed on all edges and enable easy pedestrian access to the POS.

### <u>POS 10</u>

The character of this park is intended to be a mix of natural and manicured.

Preliminary landscape design proposals include the provision of manicured edge treatments, smaller level kickabout areas, seating, shade and pedestrian linkage to surrounding residential areas. Possible landscape hard scape treatments may be used to provide a more intimate environment and a higher level of public amenity. Some car parking is proposed adjacent to the POS area.

### <u>POS 11</u>

The character of this park is intended to be natural due to adjacent proximity to the Parks and Recreation Reserve. This POS will consist totally of native endemic species.



### **POS 12**

The character of this park is intended to be manicured due to its proximity to high density lots, its function as a central feature and the need to provide usable open space. The circular area will be approximately 150m wide at any point as such provides ample space for informal recreation and safe public use.

Preliminary landscape design proposals include the provision of manicured edge treatments, smaller level kickabout areas, seating, shade and pedestrian linkage to surrounding residential areas. Possible landscape hard scape treatments may be used to provide more a intimate environment and a higher level of public amenity. A central feature set on axis from the entry boulevard would assist in the creation of sense of place. Some car parking is proposed adjacent to this POS area.

### <u>POS 13</u>

The character of this park is intended to be a mix of retention of existing native tree species, natural plantings and manicured landscaping.

The entry boulevard is proposed to traverse the park to enable a landscape feel upon arrival. Manicured edge treatments, smaller level kickabout areas, seating, shade and pedestrian linkage to surrounding residential areas will be provided at the park. Possible landscape hard scape treatments may be used to provide a more intimate environment and a higher level of public amenity.

A central feature set on axis from the entry boulevard would assist in the creation of a sense of place. Some car parking is proposed adjacent to the POS area.

# <u>POS 14</u>

The character of this park will be manicured due as it will function as a formal active recreation space. This creates the need for level earthworks and alteration to existing grades resulting in the loss of native vegetation. The provision of seating, shade and pedestrian linkages to surrounding residential areas is also proposed. Some car parking is proposed adjacent to the POS.

### <u>POS 15</u>

The character of this park is intended to be wholly natural due to the retention of existing Christmas trees (Nyutsia floribunda) and other remnant vegetation. The area will also function as an entry statement for the estate from Marmion Avenue.

The central boulevard and the open space areas provided along its length are critical elements in the vision for Burns Beach and the objectives for the Structure Plan. The central boulevard and POS 6, 8, 9, 12 and 13 will all be fully developed as part of Stage 1 of the Estate. The landscape quality and themes will set the tone for the Estate and will demonstrate Peet & Company's commitment to the development of a quality benchmark Estate. Future stages of development will all resonate the quality and tone that will be set up front as part of Stage 1 and the streetscape treatments along the central boulevard and the landscape designs within the open space areas.

## 12.0 Servicing Infrastructure

### 12.1 Siteworks

There is likely to be pockets of limestone encountered on the site due to its coastal location. If any limestone is encountered, it will be broken up prior to use as structural fill. The majority of limestone encountered should be broken up by bulldozers.

Towards the west of the site, Calcareous Sand of the Safety Bay Unit is present. This sand is often poorly cemented and very low strength but if reconstituted, can provide a suitable foundation material.

Earth working of the site may require areas of insitu rock to be ripped and relocated and compacted in deeper fill areas.

Sand will be used to fill required areas. In areas of cut, this will require over excavation of rock and replacement with sand.

Earthworking of the site will be required to create level lots for dwelling construction with changes in elevation being accommodated by the construction of retaining walls. The height of retaining walls will vary depending on the natural topography, as the general landform will remain, though benched. Retaining walls across the development will be limited in height as much as possible. Within the Northern Residential Precinct retaining walls are necessary to realise the desire to retain the general landform and create a terraced product that has a point of difference to the balance of Burns Beach and the majority of coastal developments in Perth. The retaining walls will have a maximum height of 4 metres dependant on the adopted provisions detailed in Part 1.

Retention of existing vegetation will be possible in some of the POS areas. A stand of Christmas Trees at the south-east corner of the site have been identified for retention and this will be accommodated in the bulk earthworks design. Existing stands of trees at the top of the ridgeline in the Northern Residential Precinct have also been specifically identified for retention within POS 2A. The proposed terracing of the lots in this precinct using retaining walls at the rear of lots has enabled the retention of these mature trees.

### **12.3** Service Infrastructure

### Stormwater Drainage

All stormwater drainage generated from new road construction will be contained on site in accordance with City of Joondalup criteria.

Water sensitive urban design principles in the management of stormwater and the design of open space areas will be implemented at Burns Beach. This is an environmentally and aesthetically superior solution to the traditional drainage sumps as the stormwater infiltrates into the ground at source. Drainage design will embrace best practise water sensitive design principles to ensure adequate management of first flush stormwater events and treatment of drainage waters particularly adjacent to foreshore areas to meet the objective of being consistent with the protection of natural drainage; treatment processes; and conservation of biodiversity. Implementation of water sensitive urban design and best management practices will reduce the risk of polluting the groundwater and assist to remove nutrients.

Conceptual design has been carried out for the purpose of calculating land area requirements for drainage. To ensure that the land requirement was not underestimated, Tabec assessed drainage requirements based on providing for 1 in 10 year events in maximum 0.9m deep shallow sided basins, designed in accordance with City of Joondalup criteria (being 1 in 8 side slopes). This approach is considered to be the option that has the greatest land requirement. Of the area required for the shallow sided basins, a 50% POS credit has been assumed.

Future detailed design of POS areas may necessitate that deeper fenced basins are appropriate, particularly in areas where shallow sided basins would consume a large portion of a POS (eg. POS 1, 3 and 10). In these instances, the area required for the deeper fenced basin would be less than 50% of the area required for a shallow sided basin. As such, there will be no reduction in effective (creditable) POS area. Typically, shallow swale type basins consume 3 to 4 times the land area that a deep basin consumes.

It is noted that the basin located in POS 15 could be constructed as a deeper fenced sump if a shallow basin can not be constructed without impacting significantly on the existing vegetation, particularly the Christmas trees.

Of the total POS provision of 16.065115.5688 Ha, 14.286714.3921 Ha is claimed as POS and the balance of 1.3155 Ha used for drainage has not been elaimed as POS with an area of 1.6730 Ha not credited. Of this non-credited area 1.3601 Ha is used for drainage. Should the nature of the drainage basins be changed from shallow to deep, the provision of 14.2513Ha14.3921 of POS would not be reduced. The land area required for the deep basins would originate from the 1.3155Ha1.3601 Ha area that has not been credited as POS.

Drainage reserves will be provided of sufficient area to accommodate deeper fenced basins in accordance with Council policy.

In all cases, the detailed design of both shallow and deep basins will be carried out in accordance with City of Joondalup criteria.

All roads will be kerbed and drainage water will be collected in a network of pits and pipes. The drainage networks have discharge points in basins constructed in open space areas.

Minor roads that abut public open space may utilise flush kerbing to allow direct infiltration rather than collecting stormwater and discharging to the drainage basins.

# TABLE 1 (CLAUSE 3.2) – THE ZONING TABLE

ZONES					Т	NO	AL		
USE CLASSES	RESIDENTIAL	MIXED USE	BUSINESS	COMMERCIAL	CIVIC & CULTURAL	PRIVATE CLUBS/RECREATION	SERVICE INDUSTRIAL	SPECIAL RESIDENTIAL	RURAL
					)	_			
Abattoir	Х	Х	Х	Х	Х	Х	Х	Х	Х
Aged or Dependent Persons' Dwelling	D	D	D	D	Х	Х	Х	Х	Х
Amusement Facility/Parlour	Х	Х	D	D	D	D	D	X	Х
Ancillary Accommodation	D	X	X	X	X	X	Х	X	X
Aquaculture	X	X	X	X	X	X	Х	X	D
Art Gallery	X	D	Р	Р	Р	Р	X	X	A
Auction Room	X	D	D	D	X	X	P	X	X
Bakery	X	D	D	D	X	X	D	X	X
Bank	X X	P	P	P	X X	X	X	X X	X X
Beauty Parlour	D X	P P	P D	P P	X	D	X X	A D	
Bed & Breakfast Car Park	X	P D	P D	P P	A P	D P	A P	D X	D X
Car Wash	X X	X	P D	P D	P X	P X	P P	X X	X
Caravan Park	A	X X	X	X	X	A P	P X	X X	X X
Caretaker's Flat/House	A D	D	D	D A	D	P D	D	л Х	X X
Cattery	X	X	X	X	X	X	X	D A	D
Child Care Centre	D	D	D	D	D	D	A X	D	X
Cinema	X	X	D	D	D	D	X	X	X
Cinema Complex	X	X	X	X	X	X	X	X	X
Civic Building	D	D	D	D	P	D	X	X	X
Club (Non-Residential)	X	X	D	P	D	D	D	X	X
Communication Antenna - Domestic	P	P	D	D	X	X	X	P	D
Communication Antenna	D	D	D	D	X	X	D	X	D
Concrete Batching Plant	X	X	X	X	X	X	X	X	X
Consulting Rooms	D	P	P	P	D	X	X	D	X
Convenience Store	X	D	P	P	X	D	D	X	X
Corner Store	X	P	P	P	X	X	X	X	X
Costume Hire	Х	D	Р	Р	Х	Х	D	X	Х
Department Store	Х	Х	Х	D	Х	Х	Х	Х	Х
Drive In Theatre	Х	Х	Х	Х	D	D	Х	Х	Х
Drive Through Food Outlet	Х	Х	D	D	Х	Х	Х	Х	Х
Dry Cleaning Premises	Х	Х	D	Р	Х	Х	Р	Х	Х
Education Establishment	Х	D	D	D	D	D	D	Х	Х
Equestrian Activity	Х	Х	Х	Х	Х	D	Х	Х	Х
Equipment Hire	Х	Х	D	D	Х	Х	D	Х	Х
Fuel Depot	Х	Х	Х	Х	Х	Х	D	Х	Х
Funeral Parlour	Х	Х	D	D	Х	Х	D	Х	Х
Garden Centre	Х	Х	Р	Р	Х	Х	Р	Х	Х
Golf Course	X	X	X	X	X	D	X	X	X
Grouped Dwelling	D	D	D	D	X	X	X	X	X
Hairdresser	X	P	P	P	X	D	X	X	X
Hall	X	D	D	D	P	D	X	X	X
Hardware Store	X	X	D	P V	X	X	D	X	X
Holiday Village/Resort	X P	X P	X	X P	X	D v	X	X P	X
Home Business – Category 1	P D	P P	P P	P P	X X	X X	X X	P P	X X
Home Business – Category 2	U	Г	Г	Г	Λ	Λ	Λ	r	Λ

ZONES						Z	ΛL		
	Т	(-)		T	CIVIC & CULTURAL	PRIVATE CLUBS/RECREATION	SERVICE INDUSTRIAL	Т	
	RESIDENTIAL	MIXED USE	SS	COMMERCIAL	LTU .	TE EA	US.	SPECIAL RESIDENTIAL	Г
	EN	1 Ci	BUSINESS	IER	IUC	PRIVATE S/RECRE/	g	CI4 EN	RURAL
	SID	IXE	NS	ΜŅ	& (	/RF	ΈΓ	SPE	RU
	RE	Σ	В	Q	/IC	I BSS	VIC	RE	
USE CLASSES					CIV	CLL	ER		
						0			
Home Business – Category 3	Α	Р	Р	Р	Х	Х	Х	D	Х
Hospital	X	X	D	D	D	X	X	X	X
Hotel	X X	X X	D X	D X	X X	D X	X X	X X	X X
Industry – Extractive Industry – General	X X	л Х	X X	X X	X	X X	X X	X X	X X
Industry – Hazardous	X	X	X	X	X	X	X	X	X
Industry – Light	X	X	X	X	X	X	P	X	X
Industry – Rural	X	X	X	X	X	X	D	X	X
Kindergarten	D	D	D	D	D	D	X	X	X
Landscape Supplies	Х	Х	Х	Х	Х	Х	D	Х	Х
Laundrette	Х	Х	Р	Р	Х	Х	Р	Х	Х
Laundry	Х	Х	D	D	Х	Х	Р	Х	Х
Liquor Store	Х	Х	D	Р	Х	Х	Х	Х	Х
Lunch Bar	Х	Р	Р	Р	Х	Х	D	Х	Х
Market (Retail)	Х	Х	D	D	Х	Х	Х	Х	Х
Market Garden	Х	Х	Х	Х	Х	Х	Х	Х	Х
Medical Centre	X	P	P	P	D	X	X	X	X
Milk Depot	X	X	X	X	X	X	D	X	X
Motel Multiple Develling	X	X	D	D	X X	D	X	X X	X
Multiple Dwelling Night Club	D X	D X	D D	D D	X	D D	X D	X X	X X
Nursing Home	D	D	D	D	D	X	X	X	X
Office	X	P	P	P	X	X	X	X	X
Open Air Display	X	X	X	X	X	X	D	X	X
Park	D	D	D	D	D	D	D	D	D
Park Home Park	D	Х	Х	Х	Х	D	Х	Х	Х
Place of Assembly	Х	D	D	D	Р	D	D	Х	Х
Place of Worship	Х	D	D	D	Р	D	D	Х	Х
Private Recreation	Х	D	D	D	D	Р	Х	Х	Х
Public Exhibition Facility	Х	D	D	D	Р	Р	Х	Х	Х
Reception Centre	Х	D	D	Р	D	D	Х	Х	Х
Recreation Centre	Х	D	D	D	D	D	D	Х	Х
Residential Building	D	D	D	D	X	D	X	X	X
Restaurant	X	D	P	P	D	D	X	X	A
Restricted Premises Retirement Village	X D	X D	X D	D D	X X	X D	X X	X X	X X
Rural Use	X	X	X	X	X	X	<u>л</u> Х	л Х	л Р
Salvage Yard	X	X	X	X	X	X	D	X	X
Service Station	X	X	D	D	X	X	D	X	X
Shop	X	X*	X*	P	X	X	X	X	X
Showroom	X	X	Р	Р	X	X	Р	X	X
Single House	Р	Р	D	D	Х	Х	Х	Р	Р
Special Place of Assembly	Х	Х	Х	Х	D	D	Х	Х	Х
Sports Ground	Х	Х	Х	Х	D	D	Х	Х	Х
Stables	Х	Х	Х	Х	Х	D	Х	Х	Р
Storage Yard	X	Х	X	X	X	X	D	X	X
Supermarket	X	X	X	P	X	X	X	X	X
Take Away Food Outlet	Х	Х	Р	Р	D	D	Х	Х	Х


ZONES USE CLASSES	RESIDENTIAL	MIXED USE	BUSINESS	COMMERCIAL	CIVIC & CULTURAL	PRIVATE CLUBS/RECREATION	SERVICE INDUSTRIAL	SPECIAL RESIDENTIAL	RURAL
Tavern	Х	Х	D	D	Х	D	Х	Х	Х
Theatre	Х	Х	Р	Р	D	D	Х	Х	Х
Trade Display	Х	Х	Х	Х	Х	Х	D	Х	Х
Transport Depot	Х	Х	Х	Х	Х	Х	Р	Х	Х
Vehicle Repairs	Х	Х	Х	Х	Х	Х	D	Х	Х
Vehicle Sales/Hire Premises	Х	Х	D	D	Х	Х	Р	Х	Х
Vehicle Wrecking	Х	Х	Х	Х	Х	Х	Х	Х	Х
Veterinary Consulting Rooms	Х	Х	Р	Р	Х	Х	Р	Х	Α
Veterinary Hospital	Х	Х	D	D	Х	Х	Р	Х	Α
Warehouse	Х	Х	D	Х	Х	Х	Р	Х	Х

\* - refer to Clause 3.5.2 and/or Clause 3.6.3 for further information

For Zones which have not been listed in this table refer to :

- 3.11 The Centre Zone
- 3.12 The Urban Development Zone
- 3.17 The Special Use Zone

Structure Plan Process



## PROPOSED AMENDMENT TO THE BURNS BEACH STRUCTURE PLAN SCHEDULE OF SUBMISSIONS FOLLOWING ADVERTISING (Closed 21 December 2006)

N O	NAME OF SUBMITTER	DESCRIPTION OF AFFECTED PROPERTY	SUBMISSION SUMMARY	OFFICER'S OR COUNCIL'S RECOMMENDATION
1	David Grieve	10A Mulloway Court BURNS BEACH 6028	No objection. Issues raised as follows:	Noted. Support the proposed amendment.
			<ol> <li>Stormwater sumps and swales should not be allowed on POS land as they don't provide adequate space for recreation.</li> </ol>	<ol> <li>Under the provisions of Liveable Neighbourhoods (LN), a State Government document, stormwater drainage for a site can be partially accommodated in POS areas as part of the design at the subdivision stage. Credits towards the required 10% of the gross subdivisible area to be given up by the developer as POS are allowed by the WAPC during the subdivision stage where the POS serves dual purposes for drainage and recreation. These credits range from 20-100%, depending on the circumstances of the POS, and include the provision of drainage swales. The approved and proposed POS areas have been assessed in accordance with the LN's criteria and have been considered acceptable.</li> </ol>
			<ol> <li>Developer should not proceed until dust controls are improved.</li> </ol>	2. The City monitors dust control daily on the site during subdivision works and liaises with the consulting engineers, who then deal with their contractors. Other than in Iluka, no other subdivisions and land development projects of such a significant scale as the Burns Beach estate are currently being undertaken in the City of Joondalup. Watering, hydromulching (paper-based stabiliser spray) and wind fencing have been carried out wherever possible. The City considers that every reasonable effort is

## PROPOSED AMENDMENT TO THE BURNS BEACH STRUCTURE PLAN SCHEDULE OF SUBMISSIONS FOLLOWING ADVERTISING (Closed 21 December 2006)

				being taken by the developer to prevent dust nuisance.
2	Mrs Lina Brandsch Secretary Burns Beach Ratepayer's Association	5 Second Avenue BURNS BEACH 6028	<ul> <li>No objection and requests the following be addressed (some as quoted):</li> <li>1. "It has been our understanding that the developers, namely Peet and Co. and the City of Joondalup have given their commitment to keeping the status quo of the residential density in line with the old Burns Beach and the above proposals may lead to directly impact the 'exclusivity' of the developers proposal ie. high-density/flatland types of development. This will inevitably change the type/class of development and possibly have implications for the financial value of all involved land – and homeowners."</li> </ul>	<ul> <li>Noted.</li> <li>Support the proposed amendment.</li> <li>1. It is noted that the City of Joondalup is not a developer of the land, only Peet Ltd. The majority of the new estate is R20, similar to the existing Burns Beach townsite. Only small pockets of R40 and R60 are proposed. It is not expected that the inclusion of R40 and R60 densities with the new development will have an adverse impact on the surrounding area.</li> </ul>
			2. "We are of the opinion that the developers and the City of Joondalup would not willingly discriminate against any resident and therefore feel that the building and zoning guidelines should be free of any individual discrimination and transparent in all aspects to avoid any future problems. Therefore we do question the discrepancies namely of – total height of the roof ridge as 9.5m, verge differences and retaining walls of 4m."	2. It is noted that the proposed amendment and associated development provisions have been made publicly available for comment in accordance with the requirements of District Planning Scheme No 2. As with the current structure plan provisions, when the amendment is adopted and certified, the structure plan will remain available for public viewing on the City's website, at the Joondalup Library and the City's Customer Service. The proposed building height is consistent

## PROPOSED AMENDMENT TO THE BURNS BEACH STRUCTURE PLAN SCHEDULE OF SUBMISSIONS FOLLOWING ADVERTISING (Closed 21 December 2006)

	developers have to development of balance devel infrastructure, but density residence each household e raising retaining w with solar and oc therefore understa increased levels	iate the fact that the 3. o fulfill certain guidelines of residential density to opment of council feel that building high- s will reduce privacy of specially when justified by valls and keeping in line ean view ideals. We are andably concerned about of social aggression and disturbance due to a lack	with that already established under the structure plan. Retaining walls up to 4m, which will be predominately at the rear of lots, is considered acceptable due to the steep topography of the northern precinct. Residential development will be assessed under the privacy requirements of the Residential Design Codes. It is also noted that the majority of the new development will the at the R20 code, similar to that of the existing townsite. Only limited R40 and R60 sites are proposed. The inclusion of these areas is in line with the WAPC's previous requirement in relation to the initial structure plan to include an area of R60 adjacent to POS 6. Inclusion of this area adjacent to the coast and POS 6 was based on the principles of LN, encouraging higher density around POS areas to maximise access to, and the use of, these spaces, as well as to improve their surveillance. The submission has not elaborated or provided information on any correlation can be made between residential privacy and levels of social aggression or domestic disturbance.
	existing new land amendments as t	are in place to inform the lowners of the proposed o the design-concept that t a certain cost is not what	As part of this amendment process, all current landowners in the new Burns Beach estate were consulted during the advertising period, by way of a letter. All landowners in the new Burns Beach estate are required to comply with the development provisions of the adopted BBSP. It is understood that purchasers

C:\Documents and Settings\lesleyt\Local Settings\Temporary Internet Files\OLK2\020714hg attach 6.doc

## PROPOSED AMENDMENT TO THE BURNS BEACH STRUCTURE PLAN SCHEDULE OF SUBMISSIONS FOLLOWING ADVERTISING (Closed 21 December 2006)

	<ul> <li>5. "If R60 zoning is allowed this will effectively increase alone the parking needs of the residents. What proposed machanisms are in place to supply this need."</li> <li>6. "Since the proposed amendments seem to be involving directly the access to the proposed new swimming beach, what cost calculations to the City of Joondalup has been presented by the developers? Who is going to bear the cost of public access and parking, as well as where the proposed parking taking place and in what timeframe? With respect to the changes of the public areas, may we also have clarification on the location and number of bays to be provided, at whose cost and in what timeframe."</li> </ul>	<ul> <li>in accordance with the provisions of the Residential Design Codes 2002 (R-Codes).</li> <li>6. A "possible future northern swimming beach" is noted on the current Burns Beach Structure Plan, north of the developable area of the Burns Beach estate and adjacent to the 144 hectares of land reserved as Parks and Recreation. Currently the land is not "vested" (under a Management Order) in a government authority for its care and</li> </ul>
--	--	---

## PROPOSED AMENDMENT TO THE BURNS BEACH STRUCTURE PLAN SCHEDULE OF SUBMISSIONS FOLLOWING ADVERTISING (Closed 21 December 2006)

C:\Documents and Settings\lesleyt\Local Settings\Temporary Internet Files\OLK2\020714hg attach 6.doc